



## FEDERACIJA BOSNE I HERCEGOVINE - OSNOVNI ZBIRNI PODACI ZA PERIOD 2002.-2018. GODINA

Broj centara za dijalizu i transplantaciju u FBiH →		13	13	13	13	13	14	14	14	15	15	15	15	15	15	15	15	15	
Naziv podatka ↓		Godina →																	
		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Incident pacijenti (na 1 dan) - SVI	N	252	248	245	217	270	280	252	280	270	257	269	242	266	247	241	227	260	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111,3	108,6	102,3	117,2
	Mediana (godine)	57,0	59,5	62,0	58,0	62,0	61,0	60,0	61,0	60,0	63,0	63,0	62,0	61,0	62,0	63,5	63,0	62,0	
	Prosjeak (godine)	55,0	56,0	58,0	56,0	59,0	58,0	58,0	59,5	57,5	60,5	60,5	59,0	59,0	61,0	62,0	61,2	61,0	
Starosne grupe SVIH incident pacijenata (na 1 dan):																			
(1) 0-19	N	3	5	4	5	8	5	6	5	7	5	4	5	3	1	2	3	3	
	%	1,2%	2,0%	1,6%	2,3%	3,0%	1,8%	2,4%	1,8%	2,6%	1,9%	1,5%	2,1%	1,1%	0,4%	0,8%	1,3%	1,2%	
(2) 20-44	N	53	48	40	42	35	43	40	37	44	36	37	36	40	26	22	21	32	
	%	21,0%	19,4%	16,3%	19,4%	13,0%	15,4%	15,9%	13,2%	16,3%	14,0%	13,8%	14,9%	15,0%	10,5%	9,1%	9,3%	12,3%	
(3) 45-64	N	124	106	101	96	106	123	100	120	114	103	99	98	113	107	106	99	111	
	%	49,2%	42,7%	41,2%	44,2%	39,3%	43,9%	39,7%	42,9%	42,2%	40,1%	36,8%	40,5%	42,5%	43,3%	44,0%	43,6%	42,7%	
(4) 65-74	N	56	69	77	57	85	80	69	74	72	63	85	62	70	71	67	65	68	
	%	22,2%	27,8%	31,4%	26,3%	31,5%	28,6%	27,4%	26,4%	26,7%	24,5%	31,6%	25,6%	26,3%	28,7%	27,8%	28,6%	26,2%	
(5) 75+	N	16	20	23	17	36	29	37	44	33	50	44	41	40	42	44	38	46	
	%	6,3%	8,1%	9,4%	7,8%	13,3%	10,4%	14,7%	15,7%	12,2%	19,5%	16,4%	16,9%	15,0%	17,0%	18,3%	16,7%	17,7%	
Incident pacijenti (na 1 dan) - Muškarci	N	145	123	142	115	147	142	145	161	133	140	142	146	164	148	142	136	158	
	%	57,5%	49,6%	58,0%	53,0%	54,4%	50,7%	57,5%	57,5%	49,3%	54,5%	52,8%	60,3%	61,7%	59,9%	58,9%	59,9%	60,8%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136,0	130,5	125,0	145,2
	Prosjeak (godine)	53,0	58,0	58,0	58,0	61,0	60,0	58,0	61,0	60,0	59,5	60,0	63,0	60,0	62,0	61,5	61,0	63,0	
Starosne grupe incident pacijenata (na 1 dan): Muškarci																			
(1) 0-19	N	0	1	2	1	4	4	4	4	1	3	3	4	2	0	1	2	2	
	%	0,0%	0,8%	1,4%	0,9%	2,7%	2,8%	2,8%	2,5%	0,8%	2,1%	2,1%	2,7%	1,2%	0,0%	0,7%	1,5%	1,3%	
(2) 20-44	N	39	27	28	23	21	20	31	26	23	26	22	15	26	15	14	15	19	
	%	26,9%	22,0%	19,7%	20,0%	14,3%	14,1%	21,4%	16,1%	17,3%	18,6%	15,5%	10,3%	15,9%	10,1%	9,9%	11,0%	12,0%	
(3) 45-64	N	66	47	62	51	64	65	59	65	57	62	56	59	72	66	65	66	70	
	%	45,5%	38,2%	43,7%	44,3%	43,5%	45,8%	40,7%	40,4%	42,9%	44,3%	39,4%	40,4%	43,9%	44,6%	45,8%	48,5%	44,3%	
(4) 65-74	N	33	38	34	28	38	40	36	36	32	23	40	45	39	42	38	38	43	
	%	22,8%	30,9%	23,9%	24,3%	25,9%	28,2%	24,8%	22,4%	24,1%	16,4%	28,2%	30,8%	23,8%	28,4%	26,8%	27,9%	27,2%	
(5) 75+	N	7	10	16	12	20	13	15	30	20	26	21	23	25	25	24	15	24	
	%	4,8%	8,1%	11,3%	10,4%	13,6%	9,2%	10,3%	18,6%	15,0%	18,6%	14,8%	15,8%	15,2%	16,9%	16,9%	11,0%	15,2%	



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Incident pacijenti (na 1 dan) - <b>Žene</b>	N		107	125	103	102	123	138	107	119	137	117	127	96	102	99	99	91	102	
	%		42,5%	50,4%	42,0%	47,0%	45,6%	49,3%	42,5%	42,5%	50,7%	45,5%	47,2%	39,7%	38,3%	40,1%	41,1%	40,1%	39,2%	
	Pmp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	87,5	87,5	80,4	90,2
	Mediana (godine)		59,0	60,0	63,0	56,5	65,0	61,0	65,0	61,0	60,0	66,0	65,0	59,0	62,5	62,0	64,0	66,0	62,0	
	Prosjeak (godine)		56,0	55,5	59,5	55,5	59,5	58,5	61,5	60,5	57,0	64,0	62,5	57,5	60,0	61,0	63,0	63,7	61,2	
Starosne grupe incident pacijenata (na 1 dan): <b>Žene</b>																				
(1) 0-19	N		3	4	2	4	4	1	2	1	6	2	1	1	1	1	1	1	1	
	%		2,8%	3,2%	1,9%	3,9%	3,3%	0,7%	1,9%	0,8%	4,4%	1,7%	0,8%	1,0%	1,0%	1,0%	1,0%	1,1%	1,0%	
(2) 20-44	N		14	21	12	19	14	23	9	11	21	10	15	21	14	11	8	6	13	
	%		13,1%	16,8%	11,7%	18,6%	11,4%	16,7%	8,4%	9,2%	15,3%	8,5%	11,8%	21,9%	13,7%	11,1%	8,1%	6,6%	12,7%	
(3) 45-64	N		58	59	39	45	42	58	41	55	57	41	43	39	41	41	41	34	41	
	%		54,2%	47,2%	37,9%	44,1%	34,1%	42,0%	38,3%	46,2%	41,6%	35,0%	33,9%	40,6%	40,2%	41,4%	41,4%	37,4%	40,2%	
(4) 65-74	N		23	31	43	29	47	40	33	38	40	40	45	17	31	29	29	27	25	
	%		21,5%	24,8%	41,7%	28,4%	38,2%	29,0%	30,8%	31,9%	29,2%	34,2%	35,4%	17,7%	30,4%	29,3%	29,3%	29,7%	24,5%	
(5) 75+	N		9	10	7	5	16	16	22	14	13	24	23	18	15	17	20	23	22	
	%		8,4%	8,0%	6,8%	4,9%	13,0%	11,6%	20,6%	11,8%	9,5%	20,5%	18,1%	18,8%	14,7%	17,2%	20,2%	25,3%	21,6%	
Primarna bubrežna oboljenja kod incident pacijenata (na 1 dan):																				
(1) Glomerulonephritis/sclerosis (GN)	N		65	44	39	33	29	25	37	30	27	32	26	30	25	13	25	23	25	
	%		25,8%	17,7%	15,9%	15,2%	10,7%	8,9%	14,7%	10,7%	10,0%	12,5%	9,7%	12,4%	9,4%	5,3%	10,4%	10,1%	9,6%	
(2) Pyelonephritis/sclerosis (PN)	N		53	70	60	47	52	67	39	56	55	46	45	38	37	30	17	21	27	
	%		21,0%	28,2%	24,5%	21,7%	19,3%	23,9%	15,5%	20,0%	20,4%	17,9%	16,7%	15,7%	13,9%	12,1%	7,1%	9,3%	10,4%	
(3) Polycystic kidneys, adult tip (PKD)	N		12	9	14	11	8	10	14	5	11	10	5	10	16	11	10	10	17	
	%		4,8%	3,6%	5,7%	5,1%	3,0%	3,6%	5,6%	1,8%	4,1%	3,9%	1,9%	4,1%	6,0%	4,5%	4,1%	4,4%	6,5%	
(4) Hypertension (HT)	N		17	15	14	14	19	9	32	32	24	40	45	31	22	22	19	38	19	
	%		6,7%	6,0%	5,7%	6,5%	7,0%	3,2%	12,7%	11,4%	8,9%	15,6%	16,7%	12,8%	8,3%	8,9%	7,9%	16,7%	7,3%	
(5) Renal vascular diseases (RVD)	N		5	2	1	3	2	11	11	2	23	6	2	4	2	6	1	2	6	
	%		2,0%	0,8%	0,4%	1,4%	0,7%	3,9%	4,4%	0,7%	8,5%	2,3%	0,7%	1,7%	0,8%	2,4%	0,4%	0,9%	2,3%	
Diabetes melitus - Tip I (DM)	N						58	55	50	62	53	51	75	53	39	25	31	19	14	
	%						21,5%	19,6%	19,8%	22,1%	19,6%	19,8%	27,9%	21,9%	14,7%	10,1%	12,9%	8,4%	5,4%	
Diabetes melitus - Tip II (DM)	N		46	66	51	43	2	8	8	27	14	10	8	15	48	70	67	55	63	
	%						0,7%	2,9%	3,2%	9,6%	5,2%	3,9%	3,0%	6,2%	18,0%	28,3%	27,8%	24,2%	24,2%	
(6) Diabetes melitus tip - zajedno (DM)	N						60	63	58	89	67	61	83	68	87	95	98	74	77	
	%						22,2%	22,5%	23,0%	31,8%	24,8%	23,7%	30,9%	28,1%	32,7%	38,5%	40,7%	32,6%	29,6%	
(7) Razno (Misc)	N		38	30	27	28	47	46	48	50	43	36	34	35	36	32	37	25	43	
	%		15,1%	12,1%	11,0%	12,9%	17,4%	16,4%	19,0%	17,9%	15,9%	14,0%	12,6%	14,5%	13,5%	13,0%	15,4%	11,0%	16,5%	
(8) Nepoznato (Unkn.)	N		16	12	39	38	53	49	13	16	20	26	29	26	41	38	34	34	46	
	%		6,3%	4,8%	15,9%	17,5%	19,6%	17,5%	5,2%	5,7%	7,4%	10,1%	10,8%	10,7%	15,4%	15,4%	14,1%	15,0%	17,7%	



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Incident pacijenti (na 91 dan) - <b>SVI</b>	N	232	233	229	211	257	279	238	265	255	231	242	223	243	238	224	201	234
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	107,2	100,9	90,6	105,4
	Mediana	57,0	59,0	62,0	58,0	62,0	61,0	59,0	61,0	60,0	62,0	62,0	62,0	61,0	62,0	63,0	63,0	62,0
Incident pacijenti (na 91 dan) - <b>Muškarci</b>	N	133	115	131	112	135	141	137	150	127	126	129	137	151	145	132	122	142
	%	57,3%	49,4%	57,2%	53,1%	52,5%	50,5%	57,6%	56,6%	49,8%	54,5%	53,3%	61,4%	62,1%	60,9%	58,9%	60,7%	60,7%
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	133,3	121,3	112,1
Incident pacijenti (na 91 dan) - <b>Žene</b>	N	99	118	98	99	122	138	101	115	128	105	113	86	92	93	92	79	92
	%	42,7%	50,6%	42,8%	46,9%	47,5%	49,5%	42,4%	43,4%	50,2%	45,5%	46,7%	38,6%	37,9%	39,1%	41,1%	39,3%	39,3%
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82,2	81,3	69,8
Mediana	59,0	60,0	63,5	58,0	65,0	61,0	65,0	61,5	60,0	66,0	64,5	60,0	62,0	63,0	64,0	66,0	61,0	
Starosne grupe (godine) incident pacijenata (na 91 dan):																		
(1) 0-19	N	3	5	3	3	8	5	5	3	7	4	4	5	2	1	1	1	3
	%	1,3%	2,1%	1,3%	1,4%	3,1%	1,8%	2,1%	1,1%	2,7%	1,7%	1,7%	2,2%	0,8%	0,4%	0,4%	0,5%	1,3%
(2) 20-44	N	44	44	36	42	31	42	39	35	42	33	35	32	35	25	21	19	28
	%	19,0%	18,9%	15,7%	19,9%	12,1%	15,1%	16,4%	13,2%	16,5%	14,3%	14,5%	14,3%	14,4%	10,5%	9,4%	9,5%	12,0%
(3) 45-64	N	121	102	95	94	101	123	97	115	107	100	93	92	104	103	99	90	102
	%	52,2%	43,8%	41,5%	44,5%	39,3%	44,1%	40,8%	43,4%	42,0%	43,3%	38,4%	41,3%	42,8%	43,3%	44,2%	44,8%	43,6%
(4) 65-74	N	51	64	75	55	83	79	63	70	69	54	76	57	64	69	61	55	62
	%	22,0%	27,5%	32,8%	26,1%	32,3%	28,3%	26,5%	26,4%	27,1%	23,4%	31,4%	25,6%	26,3%	29,0%	27,2%	27,4%	26,5%
(5) 75+	N	13	18	20	17	34	29	34	42	30	40	34	37	38	40	42	36	39
	%	5,6%	7,7%	8,7%	8,1%	13,2%	10,4%	14,3%	15,8%	11,8%	17,3%	14,0%	16,6%	15,6%	16,8%	18,8%	17,9%	16,7%
Prevalent pacijenti - <b>SVI</b>	N	1022	1098	1148	1190	1270	1383	1403	1418	1455	1421	1434	1481	1497	1485	1491	1495	1533
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	669,2	671,9	673,7	690,8
	Mediana (godine)	53,0	54,0	54,0	54,0	55,0	56,0	56,0	56,0	56,0	56,0	57,0	57,0	57,0	58,0	58,0	58,0	59,0
	Prosjek (godine)	52,0	52,5	53,5	53,5	54,5	55,0	55,0	55,5	55,0	55,0	55,5	56,0	56,0	56,0	56,5	56,9	57,1
Starosne grupe <b>SVIH</b> prevalent pacijenata:																		
(1) 0-19	N	10	10	11	15	18	20	24	25	24	15	19	18	18	15	12	11	11
	%	1,0%	0,9%	1,0%	1,3%	1,4%	1,4%	1,7%	1,8%	1,6%	1,1%	1,3%	1,2%	1,2%	1,0%	0,8%	0,7%	0,7%
(2) 20-44	N	297	310	318	310	296	307	303	301	308	312	307	316	324	317	302	296	297
	%	29,1%	28,2%	27,7%	26,1%	23,3%	22,2%	21,6%	21,2%	21,2%	22,0%	21,4%	21,3%	21,6%	21,3%	20,3%	19,8%	19,4%
(3) 45-64	N	494	515	512	548	580	616	625	655	682	675	670	678	667	669	688	689	716
	%	48,3%	46,9%	44,6%	46,1%	45,7%	44,5%	44,5%	46,2%	46,9%	47,5%	46,7%	45,8%	44,6%	45,1%	46,1%	46,1%	46,7%
(4) 65-74	N	189	218	251	249	283	329	334	306	295	275	289	297	302	310	305	321	334
	%	18,5%	19,9%	21,9%	20,9%	22,3%	23,8%	23,8%	21,6%	20,3%	19,4%	20,2%	20,1%	20,2%	20,9%	20,5%	21,5%	21,8%
(5) 75+	N	32	45	56	68	93	111	117	131	146	144	149	172	186	172	184	176	175
	%	3,1%	4,1%	4,9%	5,7%	7,3%	8,0%	8,3%	9,2%	10,0%	10,1%	10,4%	11,6%	12,4%	11,6%	12,3%	11,8%	11,4%



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →																	
		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Prevalent pacijenti - Muškarci	N	555	587	623	638	686	738	752	770	785	767	773	815	851	869	870	885	909	
	%	54,3%	53,5%	54,3%	53,6%	54,0%	53,4%	53,6%	54,3%	54,0%	54,0%	53,9%	55,0%	56,8%	58,5%	58,4%	59,2%	59,3%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	798,7	799,6	813,4	835,5
	Mediana (godine)	51,0	52,0	52,0	53,0	54,0	55,0	55,0	55,0	55,0	54,0	54,0	56,0	56,0	56,5	57,0	58,0	58,0	
	Prosjek (godine)	51,5	52,0	52,5	53,0	54,0	54,5	54,5	54,5	54,5	54,0	54,0	55,0	56,5	56,0	56,5	56,4	56,8	
Starosne grupe prevalent pacijenata: Muškarci																			
(1) 0-19	N	1	1	2	4	7	9	12	14	13	10	12	13	12	10	7	6	7	
	%	0,2%	0,2%	0,3%	0,6%	1,0%	1,2%	1,6%	1,8%	1,7%	1,3%	1,6%	1,6%	1,4%	1,2%	0,8%	0,7%	0,8%	
(2) 20-44	N	182	188	196	189	179	180	177	184	185	186	186	190	195	189	182	183	180	
	%	32,8%	32,0%	31,5%	29,6%	26,1%	24,4%	23,5%	23,9%	23,6%	24,3%	24,1%	23,3%	22,9%	21,7%	20,9%	20,7%	19,8%	
(3) 45-64	N	262	262	274	285	314	334	352	359	369	372	368	375	382	396	408	418	434	
	%	47,2%	44,6%	44,0%	44,7%	45,8%	45,3%	46,8%	46,6%	47,0%	48,5%	47,6%	46,0%	44,9%	45,6%	46,9%	47,2%	47,7%	
(4) 65-74	N	95	114	121	119	135	157	157	143	139	124	135	152	165	176	168	183	193	
	%	17,1%	19,4%	19,4%	18,7%	19,7%	21,3%	20,9%	18,6%	17,7%	16,2%	17,5%	18,7%	19,4%	20,3%	19,3%	20,7%	21,2%	
(5) 75+	N	15	22	30	41	51	58	54	70	79	75	72	85	97	98	105	95	95	
	%	2,7%	3,7%	4,8%	6,4%	7,4%	7,9%	7,2%	9,1%	10,1%	9,8%	9,3%	10,4%	11,4%	11,3%	12,1%	10,7%	10,5%	
Prevalent pacijenti - Žene	N	467	511	525	552	584	645	651	648	670	654	661	666	646	616	621	610	624	
	%	45,7%	46,5%	45,7%	46,4%	46,0%	46,6%	46,4%	45,7%	46,0%	46,0%	46,1%	45,0%	43,2%	41,5%	41,6%	40,8%	40,7%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	544,5	549,0	539,2	551,6	
	Mediana (godine)	54,0	55,0	56,0	56,0	57,0	57,0	58,0	57,0	57,0	58,0	58,0	59,0	58,0	58,0	59,0	60,0	60,0	
	Prosjek (godine)	53,0	53,0	54,5	54,5	55,0	55,5	56,0	56,5	56,0	56,5	57,0	57,0	57,0	56,5	57,0	57,7	57,6	
Starosne grupe prevalent pacijenata: Žene																			
(1) 0-19	N	9	9	9	11	11	11	12	11	11	5	7	5	6	5	5	5	4	
	%	1,9%	1,8%	1,7%	2,0%	1,9%	1,7%	1,8%	1,7%	1,6%	0,8%	1,1%	0,8%	0,9%	0,8%	0,8%	0,8%	0,6%	
(2) 20-44	N	115	122	122	121	117	127	126	117	123	126	121	126	129	128	120	113	117	
	%	24,6%	23,9%	23,2%	21,9%	20,0%	19,7%	19,4%	18,1%	18,4%	19,3%	18,3%	18,9%	20,0%	20,8%	19,3%	18,5%	18,8%	
(3) 45-64	N	232	253	238	263	266	282	273	296	313	303	302	303	285	274	280	272	282	
	%	49,7%	49,5%	45,3%	47,6%	45,5%	43,7%	41,9%	45,7%	46,7%	46,3%	45,7%	45,5%	44,1%	44,5%	45,1%	44,6%	45,2%	
(4) 65-74	N	94	104	130	130	148	172	177	163	156	151	154	145	137	135	137	139	141	
	%	20,1%	20,4%	24,8%	23,6%	25,3%	26,7%	27,2%	25,2%	23,3%	23,1%	23,3%	21,8%	21,2%	21,9%	22,1%	22,8%	22,6%	
(5) 75+	N	17	23	26	27	42	53	63	61	67	69	77	87	89	74	79	81	80	
	%	3,6%	4,5%	5,0%	4,9%	7,2%	8,2%	9,7%	9,4%	10,0%	10,6%	11,6%	13,1%	13,8%	12,0%	12,7%	13,3%	12,8%	



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>Bubrežna oboljenja kod prevalent pacijenata:</b>																			
(1) Glomerulonephritis/sclerosis (GN)	N		293	310	318	320	318	315	314	306	314	331	328	330	326	304	306	303	302
	%		28,7%	28,2%	27,7%	26,9%	25,0%	22,8%	22,4%	21,6%	21,6%	23,3%	22,9%	22,3%	21,8%	20,5%	20,5%	20,3%	19,7%
(2) Pyelonephritis/sclerosis (PN)	N		204	235	255	261	275	310	296	311	317	292	300	297	276	256	232	227	225
	%		20,0%	21,4%	22,2%	21,9%	21,7%	22,4%	21,1%	21,9%	21,8%	20,5%	20,9%	20,1%	18,4%	17,2%	15,6%	15,2%	14,7%
(3) Polycystic kidneys, adult tip (PKD)	N		59	61	63	65	62	70	72	67	65	68	56	64	73	77	81	83	90
	%		5,8%	5,6%	5,5%	5,5%	4,9%	5,1%	5,1%	4,7%	4,5%	4,8%	3,9%	4,3%	4,9%	5,2%	5,4%	5,6%	5,9%
(4) Hypertension (HT)	N		58	61	64	66	73	72	88	104	115	125	144	160	159	156	157	180	172
	%		5,7%	5,6%	5,6%	5,5%	5,7%	5,2%	6,3%	7,3%	7,9%	8,8%	10,0%	10,8%	10,6%	10,5%	10,5%	12,0%	11,2%
(5) Renal vascular diseases (RVD)	N		8	9	7	9	11	20	24	20	34	25	22	20	19	20	14	13	16
	%		0,8%	0,8%	0,6%	0,8%	0,9%	1,4%	1,7%	1,4%	2,3%	1,8%	1,5%	1,4%	1,3%	1,3%	0,9%	0,9%	1,0%
Diabetes melitus - Tip I (DM)	N					153	171	185	190	188	191	209	215	198	178	167	142	123	
	%					12,0%	12,4%	13,2%	13,4%	12,9%	13,4%	14,6%	14,5%	13,2%	12,0%	11,2%	9,5%	8,0%	
Diabetes melitus - Tip II (DM)	N		100	123	130	133	3	10	15	32	37	37	32	38	76	116	163	172	198
	%					0,2%	0,7%	1,1%	2,3%	2,5%	2,6%	2,2%	2,6%	5,1%	7,8%	10,9%	11,5%	12,9%	
(6) Diabetes melitus tip - zajedno (DM)	N					156	181	200	222	225	228	241	252	272	292	328	314	321	
	%					12,3%	13,1%	14,3%	15,7%	15,5%	16,0%	16,8%	17,0%	18,2%	19,7%	22,0%	21,0%	20,9%	
(7) Razno (Misc)	N		205	206	195	193	217	227	229	227	231	223	217	223	219	217	203	198	208
	%		20,1%	18,8%	17,0%	16,2%	17,1%	16,4%	16,3%	16,0%	15,9%	15,7%	15,1%	15,1%	14,6%	14,6%	13,6%	13,2%	13,6%
(8) Nepoznato (Unkn.)	N		95	93	116	143	158	188	180	161	154	129	126	136	153	163	170	177	199
	%		9,3%	8,5%	10,1%	12,0%	12,4%	13,6%	12,8%	11,4%	10,6%	9,1%	8,8%	9,2%	10,2%	11,0%	11,4%	11,8%	13,0%
<b>Diabetes melitus (Prevalent pacijenti) - Muškarci</b>	<b>N</b>		<b>51</b>	<b>55</b>	<b>66</b>	<b>58</b>	<b>84</b>	<b>96</b>	<b>105</b>	<b>123</b>	<b>123</b>	<b>122</b>	<b>127</b>	<b>146</b>	<b>167</b>	<b>187</b>	<b>209</b>	<b>200</b>	<b>203</b>
	<b>%</b>		<b>51,0%</b>	<b>44,7%</b>	<b>50,8%</b>	<b>43,6%</b>	<b>53,8%</b>	<b>53,0%</b>	<b>52,5%</b>	<b>55,4%</b>	<b>54,7%</b>	<b>53,5%</b>	<b>52,7%</b>	<b>57,9%</b>	<b>61,4%</b>	<b>64,0%</b>	<b>63,7%</b>	<b>63,7%</b>	<b>63,2%</b>
	<b>Pmp</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	171,9	192,1	183,8	186,6
	<b>Mediana (godine)</b>		56,0	56,0	56,5	56,0	58,0	57,5	58,0	59,0	61,0	59,5	60,0	61,0	61,0	60,0	62,0	62,0	62,5
	<b>Prosjeak (godine)</b>		54,0	54,0	55,0	55,0	57,0	56,0	57,0	57,0	58,0	57,5	57,0	58,5	59,5	58,5	60,0	60,2	61,6
<b>Starosne grupe prevalent pacijenata sa DM: Muškarci</b>																			
(1) 0-19	N		0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0
	%		0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,8%	0,7%	0,6%	0,5%	0,5%	0,5%	0,0%
(2) 20-44	N		12	13	16	11	11	17	16	22	19	21	26	26	27	32	30	27	27
	%		23,5%	23,6%	24,2%	19,0%	13,1%	17,7%	15,2%	17,9%	15,4%	17,2%	20,5%	17,8%	16,2%	17,1%	14,4%	13,5%	13,3%
(3) 45-64	N		32	33	37	34	54	55	63	68	65	64	61	63	69	86	94	92	86
	%		62,7%	60,0%	56,1%	58,6%	64,3%	57,3%	60,0%	55,3%	52,8%	52,5%	48,0%	43,2%	41,3%	46,0%	45,0%	46,0%	42,4%
(4) 65-74	N		5	8	10	10	15	21	22	24	28	26	30	44	50	47	57	56	63
	%		9,8%	14,5%	15,2%	17,2%	17,9%	21,9%	21,0%	19,5%	22,8%	21,3%	23,6%	30,1%	29,9%	25,1%	27,3%	28,0%	31,0%
(5) 75+	N		2	1	3	3	4	3	4	9	11	11	9	12	20	21	27	24	27
	%		3,9%	1,8%	4,5%	5,2%	4,8%	3,1%	3,8%	7,3%	8,9%	9,0%	7,1%	8,2%	12,0%	11,2%	12,9%	12,0%	13,3%

PACIJENTI



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
PREVALENT	Diabetes melitus (Prevalent pacijenti) - <b>Žene</b>	N	49	68	64	75	72	85	95	99	102	106	114	106	105	105	119	114	118	
		%	49,0%	55,3%	49,2%	56,4%	46,2%	47,0%	47,5%	44,6%	45,3%	46,5%	47,3%	42,1%	38,6%	36,0%	36,3%	36,3%	36,8%	
		Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92,8	105,2	100,8	104,3
		Mediana (godine)	59,0	60,0	62,5	63,0	63,5	64,0	64,0	64,0	65,0	65,5	67,0	68,0	67,0	66,0	67,0	67,0	67,0	66,0
		Prosjeak (godine)	55,0	56,0	58,5	59,0	59,0	59,5	60,0	60,0	60,5	61,5	62,5	63,5	63,0	63,0	64,0	63,4	62,7	
Starosne grupe prevalent pacijenata sa <b>DM: Žene</b>																				
(1) 0-19	N	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	1,0%	0,9%	1,8%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	
(2) 20-44	N	7	11	10	12	13	13	14	14	14	14	12	10	13	15	16	17	16	19	
	%	14,3%	16,2%	15,6%	16,0%	18,1%	15,3%	14,7%	14,1%	13,7%	11,3%	8,8%	12,3%	14,3%	15,2%	14,3%	14,0%	16,1%		
(3) 45-64	N	35	45	30	35	27	34	34	39	34	38	37	33	27	28	28	30	35		
	%	71,4%	66,2%	46,9%	46,7%	37,5%	40,0%	35,8%	39,4%	33,3%	35,8%	32,5%	31,1%	25,7%	26,7%	23,5%	26,3%	29,7%		
(4) 65-74	N	5	11	23	23	26	31	38	39	44	42	45	35	39	39	46	44	39		
	%	10,2%	16,2%	35,9%	30,7%	36,1%	36,5%	40,0%	39,4%	43,1%	39,6%	39,5%	33,0%	37,1%	37,1%	38,7%	38,6%	33,1%		
(5) 75+	N	2	1	1	5	6	7	9	7	9	13	20	25	24	22	28	24	25		
	%	4,1%	1,5%	1,6%	6,7%	8,3%	8,2%	9,5%	7,1%	8,8%	12,3%	17,5%	23,6%	22,9%	21,0%	23,5%	21,1%	21,2%		
Vrsta tretmana prevalent pacijenata (HD, PD, Tx):																				
Hemodijaliza (HD) - Ukupno:	N	892	959	989	1023	1072	1168	1175	1179	1218	1198	1203	1249	1254	1189	1168	1145	1152		
	%	87,3%	87,3%	86,1%	86,0%	84,4%	84,5%	83,7%	83,1%	83,7%	84,3%	83,9%	84,3%	83,8%	80,1%	78,3%	76,6%	75,1%		
HD u dijaliznom centru	N	892	959	989	1023	1070	1114	1111	1081	1198	1153	1078	1110	1119	1058	1044	1018	1026		
	%	100,0%	100,0%	100,0%	100,0%	99,8%	95,4%	94,6%	91,7%	98,4%	96,2%	89,6%	88,9%	89,2%	89,0%	89,4%	88,9%	89,1%		
HD kod kuće	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%		
HD tip nepoznat	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%		
HF	N	0	0	0	0	0	10	7	5	4	7	6	0	0	0	0	0	0		
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,9%	0,6%	0,4%	0,3%	0,6%	0,5%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%		
HDF	N	0	0	0	0	2	44	57	93	16	38	119	139	135	131	124	127	126		
	%	0,0%	0,0%	0,0%	0,0%	0,2%	3,8%	4,9%	7,9%	1,3%	3,2%	9,9%	11,1%	10,8%	11,0%	10,6%	11,1%	10,9%		
Peritonealna dijaliza (PD) - Ukupno:	N	39	37	41	50	74	89	91	103	96	87	77	74	63	69	67	73	82		
	%	3,8%	3,4%	3,6%	4,2%	5,8%	6,4%	6,5%	7,3%	6,6%	6,1%	5,4%	5,0%	4,2%	4,6%	4,5%	4,9%	5,3%		
APD	N	1	0	0	0	3	1	1	4	0	0	0	1	1	1	1	1	1		
	%	2,6%	0,0%	0,0%	0,0%	4,1%	1,1%	1,1%	3,9%	0,0%	0,0%	0,0%	1,4%	1,6%	1,4%	1,5%	1,4%	1,2%		
CAPD	N	38	37	41	50	71	88	90	99	96	87	76	73	62	68	66	72	81		
	%	97,4%	100,0%	100,0%	100,0%	95,9%	98,9%	98,9%	96,1%	100,0%	100,0%	98,7%	98,6%	98,4%	98,6%	98,5%	98,6%	98,8%		
PD tip nepoznat	N	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	1,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%		



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018									
Transplantirani pacijenti sa funkcionalnim graftom - UKUPNO	N	91	102	117	117	124	126	137	139	141	136	154	160	180	227	256	277	299									
	%	8,9%	9,3%	10,2%	9,8%	9,8%	9,1%	9,8%	9,8%	9,7%	9,6%	10,7%	10,8%	12,0%	15,3%	17,2%	18,5%	19,5%									
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102,3	115,4	124,8	134,7								
	Mediana (godine)	39,0	39,0	40,0	41,0	41,5	42,5	43,0	43,0	43,0	43,0	43,5	43,0	42,0	43,0	44,0	45,0	46,0	47,0								
	Prosjeak (godine)	40,5	40,5	40,5	40,0	41,5	42,0	42,0	42,5	42,5	43,0	43,0	42,0	42,0	42,5	43,5	44,5	45,6	46,4								
Živa rodbinska	N	62	70	80	84	89	89	92	98	95	87	92	94	102	122	131	144	149									
	%	68,1%	68,6%	68,4%	71,8%	71,8%	70,6%	67,2%	70,5%	67,4%	64,0%	59,7%	58,8%	56,7%	53,7%	51,2%	52,0%	49,8%									
Živa nerodbinska	N	15	17	20	17	16	18	20	18	16	19	21	21	23	32	36	42	51									
	%	16,5%	16,7%	17,1%	14,5%	12,9%	14,3%	14,6%	12,9%	11,3%	14,0%	13,6%	13,1%	12,8%	14,1%	14,1%	15,2%	17,1%									
Kadaverična	N	13	13	14	13	16	16	21	18	25	28	38	42	51	69	84	86	94									
	%	14,3%	12,7%	12,0%	11,1%	12,9%	12,7%	15,3%	12,9%	17,7%	20,6%	24,7%	26,3%	28,3%	30,4%	32,8%	31,0%	31,4%									
Tx tip nepoznat	N	1	2	3	3	3	3	4	5	5	2	3	3	4	4	5	5	5									
	%	1,1%	2,0%	2,6%	2,6%	2,4%	2,4%	2,9%	3,6%	3,5%	1,5%	1,9%	1,9%	2,2%	1,8%	2,0%	1,8%	1,7%									
Markeri kod prevalent pacijenata:																											
HbsAg pozitivan	N	PODACI NISU PRIKUPLJANI													36	41	33	45	42	40	38	34	28	26	26	34	29
	%	PODACI NISU PRIKUPLJANI													2,8%	3,0%	2,4%	3,2%	2,9%	2,8%	2,6%	2,3%	1,9%	1,8%	1,7%	2,3%	1,9%
Anti-HCV pozitivan	N	PODACI NISU PRIKUPLJANI													195	223	184	191	220	191	178	155	144	129	107	98	89
	%	PODACI NISU PRIKUPLJANI													15,4%	16,1%	13,1%	13,5%	15,1%	13,4%	12,4%	10,5%	9,6%	8,7%	7,2%	6,6%	5,8%
HbsAg+HCV	N	PODACI NISU PRIKUPLJANI													7	8	8	8	14	10	13	12	9	9	6	8	7
	%	PODACI NISU PRIKUPLJANI													0,6%	0,6%	0,6%	0,6%	1,0%	0,7%	0,9%	0,8%	0,6%	0,6%	0,4%	0,5%	0,5%
Anti-HIV pozitivan	N	PODACI NISU PRIKUPLJANI													0	0	0	0	0	0	0	0	0	0	0	0	0
	%	PODACI NISU PRIKUPLJANI													0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Pristup krvnim žilama kod prevalent HD pacijenata:																											
AV Fistula	N	PODACI NISU PRIKUPLJANI													841	891	913	916	904	946	896	946	894	874	826	797	785
	%	PODACI NISU PRIKUPLJANI													78,5%	76,3%	77,7%	77,7%	74,2%	79,0%	74,5%	75,7%	71,3%	73,5%	70,7%	69,6%	68,1%
Podlaktica	N	PODACI NISU PRIKUPLJANI													800	832	851	866	851	889	867	848	797	777	716	688	683
	%	PODACI NISU PRIKUPLJANI													74,6%	71,2%	72,4%	73,5%	69,9%	74,2%	72,1%	67,9%	63,6%	65,3%	61,3%	60,1%	59,3%
Nadlaktica	N	PODACI NISU PRIKUPLJANI													41	59	62	50	53	57	29	98	97	97	110	109	102
	%	PODACI NISU PRIKUPLJANI													3,8%	5,1%	5,3%	4,2%	4,4%	4,8%	2,4%	7,8%	7,7%	8,2%	9,4%	9,5%	8,9%
AV Graft	N	PODACI NISU PRIKUPLJANI													7	11	11	6	3	2	4	4	3	2	1	0	0
	%	PODACI NISU PRIKUPLJANI													0,7%	0,9%	0,9%	0,5%	0,2%	0,2%	0,3%	0,3%	0,2%	0,2%	0,1%	0,0%	0,0%
Podlaktica	N	PODACI NISU PRIKUPLJANI													2	3	3	1	0	0	1	1	1	0	0	0	0
	%	PODACI NISU PRIKUPLJANI													0,2%	0,3%	0,3%	0,1%	0,0%	0,0%	0,1%	0,1%	0,1%	0,0%	0,0%	0,0%	0,0%
Nadlaktica	N	PODACI NISU PRIKUPLJANI													0	1	0	0	0	0	0	1	1	2	1	0	0
	%	PODACI NISU PRIKUPLJANI													0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,1%	0,2%	0,1%	0,0%	0,0%
Nadkoljenica	N	PODACI NISU PRIKUPLJANI													5	7	8	5	3	2	3	2	1	0	0	0	0
	%	PODACI NISU PRIKUPLJANI													0,5%	0,6%	0,7%	0,4%	0,2%	0,2%	0,2%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%
Kateter privremeni	N	PODACI NISU PRIKUPLJANI													43	67	85	89	84	68	79	103	107	108	127	124	137
	%	PODACI NISU PRIKUPLJANI													4,0%	5,7%	7,2%	7,5%	6,9%	5,7%	6,6%	8,2%	8,5%	9,1%	10,9%	10,8%	11,9%
Vena subklavija	N	PODACI NISU PRIKUPLJANI													24	38	32	36	50	34	40	40	35	29	34	38	37
	%	PODACI NISU PRIKUPLJANI													2,2%	3,3%	2,7%	3,1%	4,1%	2,8%	3,3%	3,2%	2,8%	2,4%	2,9%	3,3%	3,2%
Vena jugularis	N	PODACI NISU PRIKUPLJANI													18	26	50	48	31	32	38	57	71	77	90	83	96
	%	PODACI NISU PRIKUPLJANI													1,7%	2,2%	4,3%	4,1%	2,5%	2,7%	3,2%	4,6%	5,7%	6,5%	7,7%	7,2%	8,3%
Vena femoralis	N	PODACI NISU PRIKUPLJANI													1	3	3	5	3	2	1	6	1	2	3	3	4
	%	PODACI NISU PRIKUPLJANI													0,1%	0,3%	0,3%	0,4%	0,2%	0,2%	0,1%	0,5%	0,1%	0,2%	0,3%	0,3%	0,3%
Kateter trajni	N	PODACI NISU PRIKUPLJANI													66	98	114	114	118	151	172	174	166	160	164	170	173
	%	PODACI NISU PRIKUPLJANI													6,2%	8,4%	9,7%	9,7%	9,7%	12,6%	14,3%	13,9%	13,2%	13,5%	14,0%	14,8%	15,0%



# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
*) BEN - Incident pacijenti (na 1 dan) - Ukupno:	N	15	11	8	12	17	19	13	15	14	11	9	6	6	9	5	8	6	
	%	6,0%	4,4%	3,3%	5,5%	6,3%	6,8%	5,2%	5,4%	5,2%	4,3%	3,3%	2,5%	2,3%	3,6%	2,1%	3,5%	2,3%	
	Mediana (godine)	64,0	67,0	64,5	72,5	71,0	69,0	71,0	70,0	69,5	79,0	77,0	77,5	76,5	70,0	75,5	75,0	72,5	
	Prosjeak (godine)	61,0	67,5	66,5	71,5	71,0	69,5	68,0	72,5	67,0	76,0	76,0	75,0	75,5	68,5	74,0	73,0	73,5	
BEN - Incident pacijenti (na 1 dan) - Muškarci:	N	6	5	7	4	5	5	7	6	5	3	2	4	2	6	2	3	4	
	%	40,0%	45,5%	87,5%	33,3%	29,4%	26,3%	53,8%	40,0%	35,7%	27,3%	22,2%	66,7%	33,3%	66,7%	40,0%	37,5%	66,7%	
BEN - Incident pacijenti (na 1 dan) - Žene:	N	9	6	1	8	12	14	6	9	9	8	7	2	4	3	3	5	2	
	%	60,0%	54,5%	12,5%	66,7%	70,6%	73,7%	46,2%	60,0%	64,3%	72,7%	77,8%	33,3%	66,7%	33,3%	60,0%	62,5%	33,3%	
Starosne grupe BEN incident pacijenata (na 1 dan):																			
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	
(2) 20-44	N	1	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	
	%	6,7%	0,0%	0,0%	0,0%	0,0%	0,0%	15,4%	0,0%	7,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	
(3) 45-64	N	8	2	4	2	2	5	1	1	4	1	0	1	0	2	1	2	0	
	%	53,3%	18,2%	50,0%	16,7%	11,8%	26,3%	7,7%	6,7%	28,6%	9,1%	0,0%	16,7%	0,0%	22,2%	20,0%	25,0%	0,0%	
(4) 65-74	N	6	9	2	6	11	8	4	7	5	3	4	1	2	5	2	1	3	
	%	40,0%	81,8%	25,0%	50,0%	64,7%	42,1%	30,8%	46,7%	35,7%	27,3%	44,4%	16,7%	33,3%	55,6%	40,0%	12,5%	50,0%	
(5) 75+	N	0	0	2	4	4	6	6	7	4	7	5	4	4	2	2	5	3	
	%	0,0%	0,0%	25,0%	33,3%	23,5%	31,6%	46,2%	46,7%	28,6%	63,6%	55,6%	66,7%	66,7%	22,2%	40,0%	62,5%	50,0%	
BEN - Prevalent pacijenti - Ukupno:	N	79	79	73	73	81	84	82	70	65	60	56	53	51	53	45	43	38	
	%	7,7%	7,2%	6,4%	6,1%	6,4%	6,1%	5,8%	4,9%	4,5%	4,2%	3,9%	3,6%	3,4%	3,6%	3,0%	2,9%	2,5%	
	Mediana (godine)	63,0	64,0	65,0	67,0	69,0	70,0	70,5	71,0	70,0	71,0	71,0	72,0	73,0	73,0	73,0	72,0	73,0	
	Prosjeak (godine)	63,5	64,5	65,5	67,0	68,0	69,5	69,5	69,5	68,5	69,5	70,0	70,5	71,0	71,5	71,0	71,0	71,5	
BEN - Prevalent pacijenti - Muškarci:	N	34	34	32	29	29	29	32	27	23	23	20	22	21	25	22	19	17	
	%	43,0%	43,0%	43,8%	39,7%	35,8%	34,5%	39,0%	38,6%	35,4%	38,3%	35,7%	41,5%	41,2%	47,2%	48,9%	44,2%	44,7%	
BEN - Prevalent pacijenti - Žene:	N	45	45	41	44	52	55	50	43	42	37	36	31	30	28	23	24	21	
	%	57,0%	57,0%	56,2%	60,3%	64,2%	65,5%	61,0%	61,4%	64,6%	61,7%	64,3%	58,5%	58,8%	52,8%	51,1%	55,8%	55,3%	
Starosne grupe BEN prevalent pacijenata:																			
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	
(2) 20-44	N	2	2	2	1	0	0	2	1	2	2	1	1	1	1	1	1	1	
	%	2,5%	2,5%	2,7%	1,4%	0,0%	0,0%	2,4%	1,4%	3,1%	3,3%	1,8%	1,9%	2,0%	1,9%	2,2%	2,3%	2,6%	
(3) 45-64	N	46	38	28	25	21	17	12	11	14	13	10	10	8	8	8	7		
	%	58,2%	48,1%	38,4%	34,2%	25,9%	20,2%	14,6%	15,7%	21,5%	21,7%	17,9%	18,9%	15,7%	15,1%	17,8%	18,6%	18,4%	
(4) 65-74	N	27	33	38	40	48	46	43	37	32	25	25	23	20	25	19	16	13	
	%	34,2%	41,8%	52,1%	54,8%	59,3%	54,8%	52,4%	52,9%	49,2%	41,7%	44,6%	43,4%	39,2%	47,2%	42,2%	37,2%	34,2%	
(5) 75+	N	4	6	5	7	12	21	25	21	17	20	20	19	22	19	17	17		
	%	5,1%	7,6%	6,8%	9,6%	14,8%	25,0%	30,5%	30,0%	26,2%	33,3%	35,7%	35,8%	43,1%	35,8%	37,8%	39,5%	44,7%	

BALKANSKA ENDEMIJSKA NEFROPATIJA (BEN)





# RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Ukupno	Ukupan broj pacijenata u godini →	N	1072	1220	1295	1343	1436	1536	1605	1645	1675	1682	1684	1650	1733	1731	1722	1708	1761
	Umrlo (broj i % smrtnosti na ukupan broj pacijenata):	%	50	122	148	150	164	152	202	225	218	261	250	167	235	244	231	213	228
		%	4,7%	10,0%	11,4%	11,2%	11,4%	9,9%	12,6%	13,7%	13,0%	15,5%	14,8%	10,1%	13,6%	14,1%	13,4%	12,5%	12,9%
Pripadnost grupi uzroka smrti:																			
(1) Cardiac	N	N	16	59	57	48	86	76	111	115	96	129	122	91	95	119	101	92	100
	%	%	32,0%	48,4%	38,5%	32,0%	52,4%	50,0%	55,0%	51,1%	44,0%	49,4%	48,8%	54,5%	40,4%	48,8%	43,7%	43,2%	43,9%
(2) Vascular	N	N	7	29	32	32	40	31	30	34	53	45	34	21	47	53	37	47	39
	%	%	14,0%	23,8%	21,6%	21,3%	24,4%	20,4%	14,9%	15,1%	24,3%	17,2%	13,6%	12,6%	20,0%	21,7%	16,0%	22,1%	17,1%
(3) Infection	N	N	4	8	4	6	6	8	10	7	10	22	15	12	19	24	12	19	26
	%	%	8,0%	6,6%	2,7%	4,0%	3,7%	5,3%	5,0%	3,1%	4,6%	8,4%	6,0%	7,2%	8,1%	9,8%	5,2%	8,9%	11,4%
(4) Cancer	N	N	1	5	9	13	11	12	20	17	25	23	20	18	14	12	15	20	25
	%	%	2,0%	4,1%	6,1%	8,7%	6,7%	7,9%	9,9%	7,6%	11,5%	8,8%	8,0%	10,8%	6,0%	4,9%	6,5%	9,4%	11,0%
(5) Liver disease	N	N	2	1	2	2	2	5	6	1	6	5	5	1	1	0	1	1	1
	%	%	4,0%	0,8%	1,4%	1,3%	1,2%	3,3%	3,0%	0,4%	2,8%	1,9%	2,0%	0,6%	0,4%	0,0%	0,4%	0,5%	0,4%
(6) Gastro-intestinal	N	N					4	5	3	5	5	8	10	3	4	9	4	5	9
	%	%				6	2,4%	3,3%	1,5%	2,2%	2,3%	3,1%	4,0%	1,8%	1,7%	3,7%	1,7%	2,3%	3,9%
(7) Social/Psychological	N	N	0	2	2	6	0	0	1	1	1	0	2	0	1	0	4	0	2
	%	%	0,0%	0,0%	0,7%	0,7%	0,0%	0,0%	0,5%	0,4%	0,5%	0,0%	0,8%	0,0%	0,4%	0,0%	1,7%	0,0%	0,9%
(8) Accident	N	N					0	0	0	0	0	1	13	0	0	2	3	1	0
	%	%	0,0%	0,0%	0,7%	0,7%	0,0%	0,0%	0,0%	0,0%	0,0%	0,4%	5,2%	0,0%	0,8%	1,3%	0,5%	0,0%	
(9) Miscellaneous	N	N	1	2	6	3	2	5	4	4	3	4	7	7	4	5	7	5	6
	%	%	2,0%	1,6%	4,1%	2,0%	1,2%	3,3%	2,0%	1,8%	1,4%	1,5%	2,8%	4,2%	1,7%	2,0%	3,0%	2,3%	2,6%
(10) Unknown/unavailable	N	N	19	15	34	38	13	10	17	41	19	24	22	14	50	20	47	23	20
	%	%	38,0%	12,3%	23,0%	25,3%	7,9%	6,6%	8,4%	18,2%	8,7%	9,2%	8,8%	8,4%	21,3%	8,2%	20,3%	10,8%	8,8%
Starosne grupe umrlih:																			
(1) 0-19	N	N	0	0	0	1	0	0	0	0	1	1	0	2	2	0	1	0	1
	%	%	0,0%	0,0%	0,0%	0,7%	0,0%	0,0%	0,0%	0,0%	0,5%	0,4%	0,0%	1,2%	0,9%	0,0%	0,4%	0,0%	0,4%
(2) 20-44	N	N	9	15	11	13	12	12	12	8	15	11	18	6	12	9	13	16	9
	%	%	18,0%	12,3%	7,4%	8,7%	7,3%	7,9%	5,9%	3,6%	6,9%	4,2%	7,2%	3,6%	5,1%	3,7%	5,6%	7,5%	3,9%
(3) 45-64	N	N	16	59	72	49	56	67	85	79	83	96	94	61	94	87	82	69	72
	%	%	32,0%	48,4%	48,6%	32,7%	34,1%	44,1%	42,1%	35,1%	38,1%	36,8%	37,6%	36,5%	40,0%	35,7%	35,5%	32,4%	31,6%
(4) 65-74	N	N	18	36	44	62	67	46	62	81	64	79	64	50	65	72	74	52	74
	%	%	36,0%	29,5%	29,7%	41,3%	40,9%	30,3%	30,7%	36,0%	29,4%	30,3%	25,6%	29,9%	27,7%	29,5%	32,0%	24,4%	32,5%
(5) 75+	N	N	7	12	21	25	29	27	43	57	55	74	74	48	61	76	61	76	72
	%	%	14,0%	9,8%	14,2%	16,7%	17,7%	17,8%	21,3%	25,3%	25,2%	28,4%	29,6%	28,7%	26,0%	31,1%	26,4%	35,7%	31,6%
Spolna struktura umrlih:																			
Muškarci	N	N	31	69	76	89	82	78	111	122	110	147	136	81	116	125	135	120	133
	%	%	62,0%	56,6%	51,4%	59,3%	50,0%	51,3%	55,0%	54,2%	50,5%	56,3%	54,4%	48,5%	49,4%	51,2%	58,4%	56,3%	58,3%
Žene	N	N	19	53	72	61	82	74	91	103	108	114	114	86	119	119	96	93	95
	%	%	38,0%	43,4%	48,6%	40,7%	50,0%	48,7%	45,0%	45,8%	49,5%	43,7%	45,6%	51,5%	50,6%	48,8%	41,6%	43,7%	41,7%

\*) BEN - Balkanska endemska nefropatija