



REPUBLIKA SRPSKA - OSNOVNI ZBIRNI PODACI ZA PERIOD 2002.-2018. GODINA

Broj centara za dijalizu i transplantaciju u RS →		10	10	10	10	10	11	11	11	11	11	11	11	11	11	11	11	11	11
Naziv podatka ↓		Godina →																	
		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Incident pacijenti (na 1 dan) - SVI	N	120	136	142	138	158	163	165	166	174	160	159	154	147	150	140	140	155	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	122,1	114,0	114,0	126,2	
	Mediana (godine)	59,0	60,5	60,0	64,0	63,0	63,0	66,0	67,0	64,0	66,0	63,0	68,0	66,0	63,5	64,0	65,0	65,0	
	Prosjeak (godine)	57,5	58,5	58,0	61,0	61,0	60,0	63,0	63,0	61,5	62,5	61,5	65,0	63,5	61,5	62,5	63,0	63,3	
Starosne grupe SVIH incident pacijenata (na 1 dan):																			
(1) 0-19	N	1	0	1	0	1	2	0	1	1	1	0	0	0	1	1	1	2	
	%	0,8%	0,0%	0,7%	0,0%	0,6%	1,2%	0,0%	0,6%	0,6%	0,6%	0,0%	0,0%	0,0%	0,7%	0,7%	0,7%	1,3%	
(2) 20-44	N	14	17	21	14	13	25	17	16	22	16	23	11	16	17	14	15	15	
	%	11,7%	12,5%	14,8%	10,1%	8,2%	15,3%	10,3%	9,6%	12,6%	10,0%	14,5%	7,1%	10,9%	11,3%	10,0%	10,7%	9,7%	
(3) 45-64	N	63	65	63	56	71	58	60	59	65	57	63	52	53	59	58	51	54	
	%	52,5%	47,8%	44,4%	40,6%	44,9%	35,6%	36,4%	35,5%	37,4%	35,6%	39,6%	33,8%	36,1%	39,3%	41,4%	36,4%	34,8%	
(4) 65-74	N	37	46	49	45	55	61	59	55	57	63	43	53	45	46	36	45	52	
	%	30,8%	33,8%	34,5%	32,6%	34,8%	37,4%	35,8%	33,1%	32,8%	39,4%	27,0%	34,4%	30,6%	30,7%	25,7%	32,1%	33,5%	
(5) 75+	N	5	8	8	23	18	17	29	35	29	23	30	38	33	27	31	28	32	
	%	4,2%	5,9%	5,6%	16,7%	11,4%	10,4%	17,6%	21,1%	16,7%	14,4%	18,9%	24,7%	22,4%	18,0%	22,1%	20,0%	20,6%	
Incident pacijenti (na 1 dan) - Muškarci	N	70	65	85	76	97	99	93	109	121	101	95	92	89	88	92	90	90	
	%	58,3%	47,8%	59,9%	55,1%	61,4%	60,7%	56,4%	65,7%	69,5%	63,1%	59,7%	59,7%	60,5%	58,7%	65,7%	64,3%	58,1%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	145,9	152,6	149,2	149,2	
	Prosjeak (godine)	58,0	61,0	59,0	61,5	59,0	62,0	65,0	65,0	62,0	64,0	62,0	67,0	63,0	63,5	64,0	63,5	64,0	
Starosne grupe incident pacijenata (na 1 dan): Muškarci																			
(1) 0-19	N	1	0	1	0	1	2	0	0	0	1	0	0	0	1	1	1	1	
	%	1,4%	0,0%	1,2%	0,0%	1,0%	2,0%	0,0%	0,0%	0,0%	1,0%	0,0%	0,0%	0,0%	1,1%	1,1%	1,1%	1,1%	
(2) 20-44	N	9	9	15	10	6	18	13	12	19	13	12	6	7	12	10	9	10	
	%	12,9%	13,8%	17,6%	13,2%	6,2%	18,2%	14,0%	11,0%	15,7%	12,9%	12,6%	6,5%	7,9%	13,6%	10,9%	10,0%	11,1%	
(3) 45-64	N	39	27	41	32	51	35	33	42	47	38	44	35	39	32	38	39	35	
	%	55,7%	41,5%	48,2%	42,1%	52,6%	35,4%	35,5%	38,5%	38,8%	37,6%	46,3%	38,0%	43,8%	36,4%	41,3%	43,3%	38,9%	
(4) 65-74	N	19	25	24	20	29	34	34	34	37	39	24	31	26	26	23	27	23	
	%	27,1%	38,5%	28,2%	26,3%	29,9%	34,3%	36,6%	31,2%	30,6%	38,6%	25,3%	33,7%	29,2%	29,5%	25,0%	30,0%	25,6%	
(5) 75+	N	2	4	4	14	10	10	13	21	18	10	15	20	17	17	20	14	21	
	%	2,9%	6,2%	4,7%	18,4%	10,3%	10,1%	14,0%	19,3%	14,9%	9,9%	15,8%	21,7%	19,1%	19,3%	21,7%	15,6%	23,3%	



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Incident pacijenti (na 1 dan) - Žene	N	50	71	57	62	61	64	72	57	53	59	64	62	58	62	48	50	65	
	%	41,7%	52,2%	40,1%	44,9%	38,6%	39,3%	43,6%	34,3%	30,5%	36,9%	40,3%	40,3%	39,5%	41,3%	34,3%	35,7%	41,9%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99,1	76,8	79,9	103,9
	Mediana (godine)	63,0	60,5	65,0	66,0	66,0	65,5	67,5	69,0	66,0	69,0	66,0	68,5	68,0	63,5	64,5	69,5	66,0	
	Prosjek (godine)	59,5	59,0	61,0	62,5	62,5	62,5	65,5	65,0	64,0	66,0	62,5	65,0	63,5	63,5	63,5	65,5	64,2	
Starosne grupe incident pacijenata (na 1 dan): Žene																			
INCIDENT PACIJENTI	(1) 0-19	N	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	1,8%	1,9%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
	(2) 20-44	N	5	8	6	4	7	7	4	4	3	3	11	5	9	5	4	6	5
		%	10,0%	11,3%	10,5%	6,5%	11,5%	10,9%	5,6%	7,0%	5,7%	5,1%	17,2%	8,1%	15,5%	8,1%	8,3%	12,0%	7,7%
	(3) 45-64	N	24	38	22	24	20	23	27	17	18	19	19	17	14	27	20	12	19
		%	48,0%	53,5%	38,6%	38,7%	32,8%	35,9%	37,5%	29,8%	34,0%	32,2%	29,7%	27,4%	24,1%	43,5%	41,7%	24,0%	29,2%
	(4) 65-74	N	18	21	25	25	26	27	25	21	20	24	19	22	19	20	13	18	29
		%	36,0%	29,6%	43,9%	40,3%	42,6%	42,2%	34,7%	36,8%	37,7%	40,7%	29,7%	35,5%	32,8%	32,3%	27,1%	36,0%	44,6%
	(5) 75+	N	3	4	4	9	8	7	16	14	11	13	15	18	16	10	11	14	11
		%	6,0%	5,6%	7,0%	14,5%	13,1%	10,9%	22,2%	24,6%	20,8%	22,0%	23,4%	29,0%	27,6%	16,1%	22,9%	28,0%	16,9%
Primarna bubrežna oboljenja kod incident pacijenata (na 1 dan):																			
(1) Glomerulonephritis/sclerosis (GN)	N	23	17	27	16	13	18	22	19	23	18	19	25	15	27	15	17	18	
	%	19,2%	12,5%	19,0%	11,6%	8,2%	11,0%	13,3%	11,4%	13,2%	11,3%	11,9%	16,2%	10,2%	18,0%	10,7%	12,1%	11,6%	
(2) Pyelonephritis/sclerosis (PN)	N	23	23	19	16	16	26	21	17	24	17	24	14	23	14	16	21	14	
	%	19,2%	16,9%	13,4%	11,6%	10,1%	16,0%	12,7%	10,2%	13,8%	10,6%	15,1%	9,1%	15,6%	9,3%	11,4%	15,0%	9,0%	
(3) Polycystic kidneys, adult tip (PKD)	N	6	8	7	6	3	7	9	6	3	8	7	4	5	1	4	4	4	
	%	5,0%	5,9%	4,9%	4,3%	1,9%	4,3%	5,5%	3,6%	1,7%	5,0%	4,4%	2,6%	3,4%	0,7%	2,9%	2,9%	2,6%	
(4) Hypertension (HT)	N	6	8	4	6	9	11	13	12	15	16	14	23	28	25	24	29	36	
	%	5,0%	5,9%	2,8%	4,3%	5,7%	6,7%	7,9%	7,2%	8,6%	10,0%	8,8%	14,9%	19,0%	16,7%	17,1%	20,7%	23,2%	
(5) Renal vascular diseases (RVD)	N	0	1	2	1	0	2	5	2	0	0	4	0	1	1	1	3	1	
	%	0,0%	0,7%	1,4%	0,7%	0,0%	1,2%	3,0%	1,2%	0,0%	0,0%	2,5%	0,0%	0,7%	0,7%	0,7%	2,1%	0,6%	
Diabetes melitus - Tip I (DM)	N					39	26	30	27	32	33	33	39	16	11	14	12	8	
	%					24,7%	16,0%	18,2%	16,3%	18,4%	20,6%	20,8%	25,3%	10,9%	7,3%	10,0%	8,6%	5,2%	
Diabetes melitus - Tip II (DM)	N	11	22	23	30	9	9	8	20	12	15	5	2	19	16	14	25	35	
	%					5,7%	5,5%	4,8%	12,0%	6,9%	9,4%	3,1%	1,3%	12,9%	10,7%	10,0%	17,9%	22,6%	
(6) Diabetes melitus tip - zajedno (DM)	N					48	35	38	47	44	48	38	41	35	27	28	37	43	
	%	9,2%	16,2%	16,2%	21,7%	30,4%	21,5%	23,0%	28,3%	25,3%	30,0%	23,9%	26,6%	23,8%	18,0%	20,0%	26,4%	27,7%	
(7) Razno (Misc)	N	39	40	36	51	47	43	41	43	42	39	38	35	32	44	39	19	22	
	%	32,5%	29,4%	25,4%	37,0%	29,7%	26,4%	24,8%	25,9%	24,1%	24,4%	23,9%	22,7%	21,8%	29,3%	27,9%	13,6%	14,2%	
(8) Nepoznato (Unkn.)	N	12	17	24	12	22	21	16	20	23	14	15	12	8	11	13	10	17	
	%	10,0%	12,5%	16,9%	8,7%	13,9%	12,9%	9,7%	12,0%	13,2%	8,8%	9,4%	7,8%	5,4%	7,3%	9,3%	7,1%	11,0%	



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Incident pacijenti (na 91 dan) - SVI	N	118	134	136	136	153	157	158	159	167	145	152	142	138	145	134	126	149
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	118,0	109,1	102,6	121,3
	Mediana	58,0	60,0	60,5	64,0	63,0	63,0	66,0	67,0	64,0	65,0	63,0	68,0	66,5	63,5	64,0	65,0	65,0
Incident pacijenti (na 91 dan) - Muškarci	N	70	64	79	74	93	95	89	104	116	96	91	86	84	84	89	84	84
	%	59,3%	47,8%	58,1%	54,4%	60,8%	60,5%	56,3%	65,4%	69,5%	66,2%	59,9%	60,6%	60,9%	57,9%	66,4%	66,7%	56,4%
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	139,3	147,6	139,3	139,3
Incident pacijenti (na 91 dan) - Žene	N	48	70	57	62	60	62	69	55	51	49	61	56	54	61	45	42	65
	%	40,7%	52,2%	41,9%	45,6%	39,2%	39,5%	43,7%	34,6%	30,5%	33,8%	40,1%	39,4%	39,1%	42,1%	33,6%	33,3%	43,6%
	Mediana	63,0	60,0	65,0	66,0	66,0	65,0	68,0	69,0	66,0	68,0	65,0	69,0	68,0	63,0	65,0	70,0	66,0
Starosne grupe (godine) incident pacijenata (na 91 dan):																		
(1) 0-19	N	1	0	1	0	1	2	0	1	1	1	0	0	0	1	1	1	2
	%	0,8%	0,0%	0,7%	0,0%	0,7%	1,3%	0,0%	0,6%	0,6%	0,7%	0,0%	0,0%	0,0%	0,7%	0,7%	0,8%	1,3%
(2) 20-44	N	14	16	20	14	12	23	15	15	19	16	22	8	15	16	13	13	15
	%	11,9%	11,9%	14,7%	10,3%	7,8%	14,6%	9,5%	9,4%	11,4%	11,0%	14,5%	5,6%	10,9%	11,0%	9,7%	10,3%	10,1%
(3) 45-64	N	62	64	60	56	70	57	58	56	64	52	62	48	49	58	57	47	52
	%	52,5%	47,8%	44,1%	41,2%	45,8%	36,3%	36,7%	35,2%	38,3%	35,9%	40,8%	33,8%	35,5%	40,0%	42,5%	37,3%	34,9%
(4) 65-74	N	36	46	47	43	53	59	57	54	55	58	42	52	45	44	35	41	52
	%	30,5%	34,3%	34,6%	31,6%	34,6%	37,6%	36,1%	34,0%	32,9%	40,0%	27,6%	36,6%	32,6%	30,3%	26,1%	32,5%	34,9%
(5) 75+	N	5	8	8	23	17	16	28	33	28	18	26	34	29	26	28	24	28
	%	4,2%	6,0%	5,9%	16,9%	11,1%	10,2%	17,7%	20,8%	16,8%	12,4%	17,1%	23,9%	21,0%	17,9%	20,9%	19,0%	18,8%
Prevalent pacijenti - SVI	N	536	589	639	703	766	824	881	908	963	989	1023	1056	1076	1078	1080	1071	1082
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	877,5	879,18	871,85	880,8
	Mediana (godine)	57,0	57,0	58,0	59,0	60,0	61,0	61,0	62,0	62,0	63,0	63,0	64,0	64,0	65,0	65,0	65,0	65,0
	Prosjeak (godine)	55,5	56,0	56,5	58,0	59,0	59,0	60,0	60,5	61,0	61,5	62,0	62,5	62,5	62,5	62,5	62,5	62,2
Starosne grupe SVIH prevalent pacijenata:																		
(1) 0-19	N	7	5	5	2	3	3	1	2	2	3	3	2	2	2	3	3	4
	%	1,3%	0,8%	0,8%	0,3%	0,4%	0,4%	0,1%	0,2%	0,2%	0,3%	0,3%	0,2%	0,2%	0,2%	0,3%	0,3%	0,4%
(2) 20-44	N	99	100	107	105	106	113	110	109	109	110	120	119	128	126	132	139	135
	%	18,5%	17,0%	16,7%	14,9%	13,8%	13,7%	12,5%	12,0%	11,3%	11,1%	11,7%	11,3%	11,9%	11,7%	12,2%	13,0%	12,5%
(3) 45-64	N	267	295	312	333	354	378	399	402	422	419	429	426	412	402	403	392	398
	%	49,8%	50,1%	48,8%	47,4%	46,2%	45,9%	45,3%	44,3%	43,8%	42,4%	41,9%	40,3%	38,3%	37,3%	37,3%	36,6%	36,8%
(4) 65-74	N	144	165	183	209	230	251	271	272	274	283	271	290	300	313	301	303	336
	%	26,9%	28,0%	28,6%	29,7%	30,0%	30,5%	30,8%	30,0%	28,5%	28,6%	26,5%	27,5%	27,9%	29,0%	27,9%	28,3%	31,1%
(5) 75+	N	19	24	32	54	73	79	100	123	156	174	200	219	234	235	241	234	209
	%	3,5%	4,1%	5,0%	7,7%	9,5%	9,6%	11,4%	13,5%	16,2%	17,6%	19,6%	20,7%	21,7%	21,8%	22,3%	21,8%	19,3%



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Prevalent pacijenti - Muškarci	N	316	330	369	394	438	485	520	556	601	615	631	651	669	660	663	665	669	
	%	59,0%	56,0%	57,7%	56,0%	57,2%	58,9%	59,0%	61,2%	62,4%	62,2%	61,7%	61,6%	62,2%	61,2%	61,4%	62,1%	61,8%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1094,5	1.099,5	1.102,8	1.109,4
	Mediana (godine)	56,0	56,0	57,0	57,0	58,0	59,0	59,0	61,0	61,0	61,0	62,0	63,0	63,0	63,0	64,0	63,0	63,0	
	Prosjeak (godine)	54,5	55,0	55,0	56,0	57,5	57,5	58,5	59,5	60,0	60,0	60,5	61,0	61,5	61,5	61,0	61,0	61,0	
Starosne grupe prevalent pacijenata: Muškarci																			
(1) 0-19	N	5	3	4	2	3	3	1	1	1	2	2	2	2	2	3	3	2	
	%	1,6%	0,9%	1,1%	0,5%	0,7%	0,6%	0,2%	0,2%	0,2%	0,3%	0,3%	0,3%	0,3%	0,3%	0,5%	0,5%	0,3%	
(2) 20-44	N	66	63	69	71	70	78	79	79	81	80	86	83	85	86	93	94	91	
	%	20,9%	19,1%	18,7%	18,0%	16,0%	16,1%	15,2%	14,2%	13,5%	13,0%	13,6%	12,7%	12,7%	13,0%	14,0%	14,1%	13,6%	
(3) 45-64	N	157	165	185	190	214	228	235	249	272	276	281	281	280	262	261	265	271	
	%	49,7%	50,0%	50,1%	48,2%	48,9%	47,0%	45,2%	44,8%	45,3%	44,9%	44,5%	43,2%	41,9%	39,7%	39,4%	39,8%	40,5%	
(4) 65-74	N	78	87	98	106	116	136	156	166	167	166	155	166	168	174	173	183	192	
	%	24,7%	26,4%	26,6%	26,9%	26,5%	28,0%	30,0%	29,9%	27,8%	27,0%	24,6%	25,5%	25,1%	26,4%	26,1%	27,5%	28,7%	
(5) 75+	N	10	12	13	25	35	40	49	61	80	91	107	119	134	136	133	120	113	
	%	3,2%	3,6%	3,5%	6,3%	8,0%	8,2%	9,4%	11,0%	13,3%	14,8%	17,0%	18,3%	20,0%	20,6%	20,1%	18,0%	16,9%	
Prevalent pacijenti - Žene	N	220	259	270	309	328	339	361	352	362	374	392	405	407	418	417	406	413	
	%	41,0%	44,0%	42,3%	44,0%	42,8%	41,1%	41,0%	38,8%	37,6%	37,8%	38,3%	38,4%	37,8%	38,8%	38,6%	37,9%	38,2%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	668,4	666,8	649,2	660,4
	Mediana (godine)	59,0	58,0	59,0	61,0	63,0	62,0	63,0	64,0	65,0	66,0	65,5	66,0	67,0	66,0	66,0	67,0	67,0	
	Prosjeak (godine)	57,0	57,5	58,5	60,0	61,0	61,0	62,0	62,5	63,5	64,0	64,0	64,0	64,0	64,0	64,5	64,5	64,2	
Starosne grupe prevalent pacijenata: Žene																			
(1) 0-19	N	2	2	1	0	0	0	0	1	1	1	1	0	0	0	0	0	2	
	%	0,9%	0,8%	0,4%	0,0%	0,0%	0,0%	0,0%	0,3%	0,3%	0,3%	0,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,5%	
(2) 20-44	N	33	37	38	34	36	35	31	30	28	30	34	36	43	40	39	45	44	
	%	15,0%	14,3%	14,1%	11,0%	11,0%	10,3%	8,6%	8,5%	7,7%	8,0%	8,7%	8,9%	10,6%	9,6%	9,4%	11,1%	10,7%	
(3) 45-64	N	110	130	127	143	140	150	164	153	150	143	148	145	132	140	142	127	127	
	%	50,0%	50,2%	47,0%	46,3%	42,7%	44,2%	45,4%	43,5%	41,4%	38,2%	37,8%	35,8%	32,4%	33,5%	34,1%	31,3%	30,8%	
(4) 65-74	N	66	78	85	103	114	115	115	106	107	117	116	124	132	139	128	120	144	
	%	30,0%	30,1%	31,5%	33,3%	34,8%	33,9%	31,9%	30,1%	29,6%	31,3%	29,6%	30,6%	32,4%	33,3%	30,7%	29,6%	34,9%	
(5) 75+	N	9	12	19	29	38	39	51	62	76	83	93	100	100	99	108	114	96	
	%	4,1%	4,6%	7,0%	9,4%	11,6%	11,5%	14,1%	17,6%	21,0%	22,2%	23,7%	24,7%	24,6%	23,7%	25,9%	28,1%	23,2%	



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Bubrežna oboljenja kod prevalent pacijenata:																			
(1) Glomerulonephritis/sclerosis (GN)	N	131	138	143	144	143	136	151	153	166	180	190	195	196	208	207	205	209	
	%	24,4%	23,4%	22,4%	20,5%	18,7%	16,5%	17,1%	16,9%	17,2%	18,2%	18,6%	18,5%	18,2%	19,3%	19,2%	19,1%	19,3%	
(2) Pyelonephritis/sclerosis (PN)	N	105	108	112	118	115	125	128	120	127	125	139	132	140	136	128	128	122	
	%	19,6%	18,3%	17,5%	16,8%	15,0%	15,2%	14,5%	13,2%	13,2%	12,6%	13,6%	12,5%	13,0%	12,6%	11,9%	12,0%	11,3%	
(3) Polycystic kidneys, adult tip (PKD)	N	34	39	44	45	46	49	54	54	50	57	64	65	62	58	56	56	57	
	%	6,3%	6,6%	6,9%	6,4%	6,0%	5,9%	6,1%	5,9%	5,2%	5,8%	6,3%	6,2%	5,8%	5,4%	5,2%	5,2%	5,3%	
(4) Hypertension (HT)	N	15	22	24	25	31	37	45	52	65	74	81	93	111	116	128	146	161	
	%	2,8%	3,7%	3,8%	3,6%	4,0%	4,5%	5,1%	5,7%	6,7%	7,5%	7,9%	8,8%	10,3%	10,8%	11,9%	13,6%	14,9%	
(5) Renal vascular diseases (RVD)	N	0	1	2	3	3	4	7	8	7	6	9	8	5	6	5	6	6	
	%	0,0%	0,2%	0,3%	0,4%	0,4%	0,5%	0,8%	0,9%	0,7%	0,6%	0,9%	0,8%	0,5%	0,6%	0,5%	0,6%	0,6%	
Diabetes melitus - Tip I (DM)	N					94	98	108	112	120	120	130	157	152	136	131	119	107	
	%					12,3%	11,9%	12,3%	12,3%	12,5%	12,1%	12,7%	14,9%	14,1%	12,6%	12,1%	11,1%	9,9%	
Diabetes melitus - Tip II (DM)	N	34	47	52	71	8	14	21	33	36	48	40	39	53	62	64	76	99	
	%					1,0%	1,7%	2,4%	3,6%	3,7%	4,9%	3,9%	3,7%	4,9%	5,8%	5,9%	7,1%	9,1%	
(6) Diabetes melitus tip - zajedno (DM)	N					102	112	129	145	156	168	170	196	205	198	195	195	206	
	%	6,3%	8,0%	8,1%	10,1%	13,3%	13,6%	14,6%	16,0%	16,2%	17,0%	16,6%	18,6%	19,1%	18,4%	18,1%	18,2%	19,0%	
(7) Razno (Misc)	N	163	178	192	224	240	261	278	281	293	292	286	283	277	271	272	248	234	
	%	30,4%	30,2%	30,0%	31,9%	31,3%	31,7%	31,6%	30,9%	30,4%	29,5%	28,0%	26,8%	25,7%	25,1%	25,2%	23,2%	21,6%	
(8) Nepoznato (Unkn.)	N	54	56	70	73	86	84	89	95	99	87	84	84	80	85	89	87	87	
	%	10,1%	9,5%	11,0%	10,4%	11,2%	10,2%	10,1%	10,5%	10,3%	8,8%	8,2%	8,0%	7,4%	7,9%	8,2%	8,1%	8,0%	
Diabetes melitus (Prevalent pacijenti) - Muškarci	N	18	25	31	42	60	69	76	93	103	109	109	118	135	133	132	134	138	
	%	52,9%	53,2%	59,6%	59,2%	58,8%	61,6%	58,9%	64,1%	66,0%	64,9%	64,1%	60,2%	65,9%	67,2%	67,7%	68,7%	67,0%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	220,6	218,9	222,2	228,8	
	Mediana (godine)	49,5	51,0	54,0	56,0	56,5	58,0	59,0	60,0	61,0	61,0	61,0	62,0	63,0	63,0	64,0	64,0	65,0	
Prosjeak (godine)	50,0	51,0	53,0	55,0	55,5	55,5	55,0	56,5	58,0	58,5	59,0	60,0	61,0	61,0	60,5	61,0	61,0	62,8	
Starosne grupe prevalent pacijenata sa DM: Muškarci																			
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	2	0	0
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,9%	0,9%	0,8%	0,7%	0,8%	1,5%	0,0%	0,0%
(2) 20-44	N	6	7	10	11	12	17	17	18	17	14	13	14	15	18	19	20	16	
	%	33,3%	28,0%	32,3%	26,2%	20,0%	24,6%	22,4%	19,4%	16,5%	12,8%	11,9%	11,9%	11,1%	13,5%	14,4%	14,9%	11,6%	
(3) 45-64	N	8	13	11	16	29	28	36	46	50	56	58	58	61	55	53	49	53	
	%	44,4%	52,0%	35,5%	38,1%	48,3%	40,6%	47,4%	49,5%	48,5%	51,4%	53,2%	49,2%	45,2%	41,4%	40,2%	36,6%	38,4%	
(4) 65-74	N	4	5	10	12	15	21	20	22	30	33	30	35	41	39	43	54	58	
	%	22,2%	20,0%	32,3%	28,6%	25,0%	30,4%	26,3%	23,7%	29,1%	30,3%	27,5%	29,7%	30,4%	29,3%	32,6%	40,3%	42,0%	
(5) 75+	N	0	0	0	3	4	3	3	7	6	5	7	10	17	20	15	11	11	
	%	0,0%	0,0%	0,0%	7,1%	6,7%	4,3%	3,9%	7,5%	5,8%	4,6%	6,4%	8,5%	12,6%	15,0%	11,4%	8,2%	8,0%	

PACIJENTI



RENALNI REGISTAR BOSNE I HERCEGOVINE

PREVALENT	Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
			N	16	22	21	29	42	43	53	52	53	59	61	78	70	65	63	61
	Diabetes melitus (Prevalent pacijenti) - Žene	%	47,1%	46,8%	40,4%	40,8%	41,2%	38,4%	41,1%	35,9%	34,0%	35,1%	35,9%	39,8%	34,1%	32,8%	32,3%	31,3%	33,0%
		Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	103,9	100,7	97,5	108,7
		Mediana (godine)	59,5	56,5	63,0	64,0	64,5	65,0	67,0	64,5	66,0	68,0	65,0	66,5	66,5	66,0	67,0	68,0	68,0
		Prosjeak (godine)	54,5	53,5	55,5	58,5	60,0	60,0	61,5	62,0	63,0	63,0	62,5	64,0	63,5	63,5	65,0	65,0	64,8
Starosne grupe prevalent pacijenata sa DM: Žena																			
	(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
	(2) 20-44	N	4	6	6	6	9	7	7	7	6	8	9	9	11	10	7	9	8
		%	25,0%	27,3%	28,6%	20,7%	21,4%	16,3%	13,2%	13,5%	11,3%	13,6%	14,8%	11,5%	15,7%	15,4%	11,1%	14,8%	11,8%
	(3) 45-64	N	8	11	6	9	12	13	16	19	19	18	21	25	17	15	15	12	19
		%	50,0%	50,0%	28,6%	31,0%	28,6%	30,2%	30,2%	36,5%	35,8%	30,5%	34,4%	32,1%	24,3%	23,1%	23,8%	19,7%	27,9%
	(4) 65-74	N	4	5	9	12	18	20	27	17	16	22	21	29	28	27	24	22	26
		%	25,0%	22,7%	42,9%	41,4%	42,9%	46,5%	50,9%	32,7%	30,2%	37,3%	34,4%	37,2%	40,0%	41,5%	38,1%	36,1%	38,2%
	(5) 75+	N	0	0	0	2	3	3	3	9	12	11	10	15	14	13	17	18	15
		%	0,0%	0,0%	0,0%	6,9%	7,1%	7,0%	5,7%	17,3%	22,6%	18,6%	16,4%	19,2%	20,0%	20,0%	27,0%	29,5%	22,1%
Vrsta tretmana prevalent pacijenata (HD, PD, Tx):																			
	Hemodijaliza (HD) - Ukupno:	N	525	575	622	686	753	804	857	883	933	960	993	1016	1030	1018	1015	998	1006
		%	97,9%	97,6%	97,3%	97,6%	98,3%	97,6%	97,3%	97,2%	96,9%	97,1%	97,1%	96,2%	95,7%	94,4%	94,0%	93,2%	93,0%
	HD u dijaliznom centru	N	525	575	622	686	753	804	857	732	897	914	948	965	965	944	940	234	229
		%	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%	82,9%	96,1%	95,2%	95,5%	95,0%	93,7%	92,7%	92,6%	23,4%	22,8%
	HD kod kuće	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
	HD tip nepoznat	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
	HF	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
	HDF	N	0	0	0	0	0	0	0	151	36	46	45	51	65	74	75	764	777
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	17,1%	3,9%	4,8%	4,5%	5,0%	6,3%	7,3%	7,4%	76,6%	77,2%
	Peritonealna dijaliza (PD) - Ukupno:	N	8	8	8	8	5	3	2	4	6	4	4	7	9	15	16	14	16
		%	1,5%	1,4%	1,3%	1,1%	0,7%	0,4%	0,2%	0,4%	0,6%	0,4%	0,4%	0,7%	0,8%	1,4%	1,5%	1,3%	1,5%
	APD	N	2	1	1	0	0	0	0	0	0	2	2	2	3	2	2	1	1
		%	25,0%	12,5%	12,5%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	50,0%	50,0%	28,6%	33,3%	13,3%	12,5%	7,1%	6,3%
	CAPD	N	6	7	7	8	5	3	2	4	5	2	1	2	3	12	12	10	10
		%	75,0%	87,5%	87,5%	100,0%	100,0%	100,0%	100,0%	100,0%	83,3%	50,0%	25,0%	28,6%	33,3%	80,0%	75,0%	71,4%	62,5%
	PD tip nepoznat	N	0	0	0	0	0	0	0	0	1	0	1	3	3	1	2	3	5
		%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	16,7%	0,0%	25,0%	42,9%	33,3%	6,7%	12,5%	21,4%	31,3%



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Transplantirani pacijenti sa funkcionalnim graftom - UKUPNO	N	3	6	9	9	8	17	22	21	24	25	26	33	37	43	49	59	60	
	%	0,6%	1,0%	1,4%	1,3%	1,0%	2,1%	2,5%	2,3%	2,5%	2,5%	2,5%	3,1%	3,4%	4,0%	4,5%	5,5%	5,5%	
	Pmp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35,0	39,9	48,0	48,8
	Mediana (godine)	32,0	28,0	32,0	33,0	33,0	40,0	41,0	39,0	37,0	36,0	36,5	37,0	38,0	40,0	40,0	40,0	40,0	41,0
	Prosjeak (godine)	36,0	31,5	34,5	37,0	38,0	41,0	40,0	39,5	38,0	37,5	39,0	38,0	39,0	40,5	41,0	40,5	40,5	41,8
Živa rodbinska	N	1	4	7	7	6	12	15	12	13	14	13	19	23	26	30	34	34	
	%	33,3%	66,7%	77,8%	77,8%	75,0%	70,6%	68,2%	57,1%	54,2%	56,0%	50,0%	57,6%	62,2%	60,5%	61,2%	57,6%	56,7%	
Živa nerodbinska	N	0	0	0	0	0	0	0	1	1	1	1	0	1	2	2	3	4	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	4,8%	4,2%	4,0%	3,8%	0,0%	2,7%	4,7%	4,1%	5,1%	6,7%	
Kadaverična	N	2	2	2	2	2	5	7	7	9	9	11	13	12	15	17	21	21	
	%	66,7%	33,3%	22,2%	22,2%	25,0%	29,4%	31,8%	33,3%	37,5%	36,0%	42,3%	39,4%	32,4%	34,9%	34,7%	35,6%	35,0%	
Tx tip nepoznat	N	0	0	0	0	0	0	0	1	1	1	1	1	1	0	0	1	1	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	4,8%	4,2%	4,0%	3,8%	3,0%	2,7%	0,0%	0,0%	1,7%	1,7%	
Markeri kod prevalent pacijenata:																			
HbsAg pozitivan	N	PODACI NISU PRIKUPLJANI				56	46	46	39	33	29	25	27	26	26	26	28	27	
	%	PODACI NISU PRIKUPLJANI				7,3%	5,6%	5,2%	4,3%	3,4%	2,9%	2,4%	2,6%	2,4%	2,4%	2,4%	2,6%	2,5%	
Anti-HCV pozitivan	N	PODACI NISU PRIKUPLJANI				127	116	115	107	107	96	86	83	76	63	61	55	52	
	%	PODACI NISU PRIKUPLJANI				16,6%	14,1%	13,1%	11,8%	11,1%	9,7%	8,4%	7,9%	7,1%	5,8%	5,6%	5,1%	4,8%	
HbsAg+HCV	N	PODACI NISU PRIKUPLJANI				15	14	12	10	8	7	5	5	5	3	4	5	5	
	%	PODACI NISU PRIKUPLJANI				2,0%	1,7%	1,4%	1,1%	0,8%	0,7%	0,5%	0,5%	0,5%	0,3%	0,4%	0,5%	0,5%	
Anti-HIV pozitivan	N	PODACI NISU PRIKUPLJANI				1	1	1	1	1	1	1	1	1	1	1	1	1	1
	%	PODACI NISU PRIKUPLJANI				0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%
Pristup krvnim žilama kod prevalent HD pacijenata:																			
AV Fistula	N	PODACI NISU PRIKUPLJANI				642	699	773	828	836	908	934	963	948	940	925	879	886	
	%	PODACI NISU PRIKUPLJANI				85,3%	86,9%	90,2%	93,8%	89,6%	94,6%	94,1%	94,8%	92,0%	92,3%	91,1%	88,1%	88,1%	
Podlaktica	N	PODACI NISU PRIKUPLJANI				608	661	728	793	805	881	912	943	932	920	908	857	862	
	%	PODACI NISU PRIKUPLJANI				80,7%	82,2%	84,9%	89,8%	86,3%	91,8%	91,8%	92,8%	90,5%	90,4%	89,5%	85,9%	85,7%	
Nadlaktica	N	PODACI NISU PRIKUPLJANI				34	38	45	35	31	27	22	20	16	20	17	22	24	
	%	PODACI NISU PRIKUPLJANI				4,5%	4,7%	5,3%	4,0%	3,3%	2,8%	2,2%	2,0%	1,6%	2,0%	1,7%	2,2%	2,4%	
AV Graft	N	PODACI NISU PRIKUPLJANI				19	23	27	17	16	17	13	11	9	4	5	4	4	
	%	PODACI NISU PRIKUPLJANI				2,5%	2,9%	3,2%	1,9%	1,7%	1,8%	1,3%	1,1%	0,9%	0,4%	0,5%	0,4%	0,4%	
Podlaktica	N	PODACI NISU PRIKUPLJANI				9	12	15	11	7	8	5	4	4	2	2	2	2	
	%	PODACI NISU PRIKUPLJANI				1,2%	1,5%	1,8%	1,2%	0,8%	0,8%	0,5%	0,4%	0,4%	0,2%	0,2%	0,2%	0,2%	
Nadlaktica	N	PODACI NISU PRIKUPLJANI				3	2	3	1	2	2	4	3	3	0	1	0	0	
	%	PODACI NISU PRIKUPLJANI				0,4%	0,2%	0,4%	0,1%	0,2%	0,2%	0,4%	0,3%	0,3%	0,0%	0,1%	0,0%	0,0%	
Nadkoljenica	N	PODACI NISU PRIKUPLJANI				7	9	9	5	7	7	4	4	2	2	2	2	2	
	%	PODACI NISU PRIKUPLJANI				0,9%	1,1%	1,1%	0,6%	0,8%	0,7%	0,4%	0,4%	0,2%	0,2%	0,2%	0,2%	0,2%	
Kateter privremeni	N	PODACI NISU PRIKUPLJANI				9	14	28	14	11	6	15	10	27	24	27	54	55	
	%	PODACI NISU PRIKUPLJANI				1,2%	1,7%	3,3%	1,6%	1,2%	0,6%	1,5%	1,0%	2,6%	2,4%	2,7%	5,4%	5,5%	
Vena subklavija	N	PODACI NISU PRIKUPLJANI				1	4	16	10	7	5	1	2	8	13	19	17	13	
	%	PODACI NISU PRIKUPLJANI				0,1%	0,5%	1,9%	1,1%	0,8%	0,5%	0,1%	0,2%	0,8%	1,3%	1,9%	1,7%	1,3%	
Vena jugularis	N	PODACI NISU PRIKUPLJANI				8	9	10	4	3	1	12	6	16	9	6	30	36	
	%	PODACI NISU PRIKUPLJANI				1,1%	1,1%	1,2%	0,5%	0,3%	0,1%	1,2%	0,6%	1,6%	0,9%	0,6%	3,0%	3,6%	
Vena femoralis	N	PODACI NISU PRIKUPLJANI				0	1	2	0	1	0	2	2	3	2	2	7	6	
	%	PODACI NISU PRIKUPLJANI				0,0%	0,1%	0,2%	0,0%	0,1%	0,0%	0,2%	0,2%	0,3%	0,2%	0,2%	0,7%	0,6%	
Kateter trajni	N	PODACI NISU PRIKUPLJANI				2	2	3	6	11	24	29	29	42	40	49	48	47	
	%	PODACI NISU PRIKUPLJANI				0,3%	0,2%	0,4%	0,7%	1,2%	2,5%	2,9%	2,9%	4,1%	3,9%	4,8%	4,8%	4,7%	



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓	Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
		N	32	30	28	32	31	35	28	30	28	23	19	18	21	19	18	5
*) BEN - Incident pacijenti (na 1 dan) - Ukupno:	%	26,7%	22,1%	19,7%	23,2%	19,6%	21,5%	17,0%	18,1%	16,1%	14,4%	11,9%	11,7%	14,3%	12,7%	12,9%	3,6%	1,3%
	Mediana (godine)	64,0	66,0	65,0	69,0	69,0	68,0	71,0	74,0	70,0	70,0	73,0	74,5	71,0	69,0	74,0	76,0	69,5
	Prosjeak (godine)	63,5	64,5	64,5	69,0	66,5	67,5	70,5	73,0	69,5	70,5	71,5	72,5	71,5	70,0	73,0	76,0	69,5
BEN - Incident pacijenti (na 1 dan) - Muškarci:	N	14	12	15	14	19	25	15	16	16	15	7	8	12	7	10	3	2
	%	43,8%	40,0%	53,6%	43,8%	61,3%	71,4%	53,6%	53,3%	57,1%	65,2%	36,8%	44,4%	57,1%	36,8%	55,6%	60,0%	100,0%
BEN - Incident pacijenti (na 1 dan) - Žene:	N	18	18	13	18	12	10	13	14	12	8	12	10	9	12	8	2	0
	%	56,3%	60,0%	46,4%	56,3%	38,7%	28,6%	46,4%	46,7%	42,9%	34,8%	63,2%	55,6%	42,9%	63,2%	44,4%	40,0%	0,0%
Starosne grupe BEN incident pacijenata (na 1 dan):																		
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
(2) 20-44	N	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	%	0,0%	0,0%	0,0%	3,1%	3,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
(3) 45-64	N	17	11	13	5	10	9	4	1	8	2	4	2	3	2	2	0	0
	%	53,1%	36,7%	46,4%	15,6%	32,3%	25,7%	14,3%	3,3%	28,6%	8,7%	21,1%	11,1%	14,3%	10,5%	11,1%	0,0%	0,0%
(4) 65-74	N	13	18	12	19	15	21	15	18	10	16	8	7	12	12	8	2	2
	%	40,6%	60,0%	42,9%	59,4%	48,4%	60,0%	53,6%	60,0%	35,7%	69,6%	42,1%	38,9%	57,1%	63,2%	44,4%	40,0%	100,0%
(5) 75+	N	2	1	3	7	5	5	9	11	10	5	7	9	6	5	8	3	0
	%	6,3%	3,3%	10,7%	21,9%	16,1%	14,3%	32,1%	36,7%	35,7%	21,7%	36,8%	50,0%	28,6%	26,3%	44,4%	60,0%	0,0%
BEN - Prevalent pacijenti - Ukupno:	N	133	144	153	169	181	201	207	210	221	215	204	191	187	174	175	156	129
	%	24,8%	24,4%	23,9%	24,0%	23,6%	24,4%	23,5%	23,1%	22,9%	21,7%	19,9%	18,1%	17,4%	16,1%	16,2%	14,6%	11,9%
	Mediana (godine)	64,0	65,0	70,0	67,0	69,0	69,0	70,0	71,0	72,0	72,0	73,0	74,0	74,0	74,0	75,0	75,0	76,0
	Prosjeak (godine)	64,0	65,0	65,0	66,5	67,5	68,0	69,0	70,0	70,5	71,5	72,5	73,0	73,5	73,0	74,0	74,5	74,7
BEN - Prevalent pacijenti - Muškarci:	N	72	72	79	81	91	110	114	116	123	121	112	102	102	93	94	82	66
	%	54,1%	50,0%	51,6%	47,9%	50,3%	54,7%	55,1%	55,2%	55,7%	56,3%	54,9%	53,4%	54,5%	53,4%	53,7%	52,6%	51,2%
BEN - Prevalent pacijenti - Žene:	N	61	72	74	88	90	91	93	94	98	94	92	89	85	81	81	74	63
	%	45,9%	50,0%	48,4%	52,1%	49,7%	45,3%	44,9%	44,8%	44,3%	43,7%	45,1%	46,6%	45,5%	46,6%	46,3%	47,4%	48,8%
Starosne grupe BEN prevalent pacijenata:																		
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
(2) 20-44	N	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	%	0,0%	0,0%	0,0%	0,6%	0,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
(3) 45-64	N	71	65	63	51	50	56	51	45	47	37	33	27	24	19	15	12	7
	%	53,4%	45,1%	41,2%	30,2%	27,6%	27,9%	24,6%	21,4%	21,3%	17,2%	16,2%	14,1%	12,8%	10,9%	8,6%	7,7%	5,4%
(4) 65-74	N	54	71	80	98	100	109	109	113	102	97	82	77	72	73	69	58	53
	%	40,6%	49,3%	52,3%	58,0%	55,2%	54,2%	52,7%	53,8%	46,2%	45,1%	40,2%	40,3%	38,5%	42,0%	39,4%	37,2%	41,1%
(5) 75+	N	8	8	10	19	30	36	47	52	72	81	89	87	91	82	91	86	69
	%	6,0%	5,6%	6,5%	11,2%	16,6%	17,9%	22,7%	24,8%	32,6%	37,7%	43,6%	45,5%	48,7%	47,1%	52,0%	55,1%	53,5%



RENALNI REGISTAR BOSNE I HERCEGOVINE

Naziv podatka ↓		Godina →	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Ukupan broj pacijenata u godini → Umrlo (broj i % smrtnosti na ukupan broj pacijenata):	N	557	655	722	774	850	921	982	1036	1071	1111	1155	1176	1192	1217	1215	1218	1230	
	%	21	66	83	71	84	97	101	128	108	122	132	120	116	140	135	147	148	
Prispadnost grupi uzroka smrti:																			
(1) Cardiac	N	5	33	36	27	25	39	40	46	26	51	62	63	60	68	79	74	79	
	%	23,8%	50,0%	43,4%	38,0%	29,8%	40,2%	39,6%	35,9%	24,1%	41,8%	47,0%	52,5%	51,7%	48,6%	58,5%	50,3%	53,4%	
(2) Vascular	N	1	14	18	20	18	18	23	19	31	21	22	18	12	18	18	25	27	
	%	4,8%	21,2%	21,7%	28,2%	21,4%	18,6%	22,8%	14,8%	28,7%	17,2%	16,7%	15,0%	10,3%	12,9%	13,3%	17,0%	18,2%	
(3) Infection	N	2	1	7	3	5	2	1	5	5	10	11	5	9	13	10	8	6	
	%	9,5%	1,5%	8,4%	4,2%	6,0%	2,1%	1,0%	3,9%	4,6%	8,2%	8,3%	4,2%	7,8%	9,3%	7,4%	5,4%	4,1%	
(4) Cancer	N	0	11	10	11	17	12	23	20	16	18	26	22	19	28	20	27	19	
	%	0,0%	16,7%	12,0%	15,5%	20,2%	12,4%	22,8%	15,6%	14,8%	14,8%	19,7%	18,3%	16,4%	20,0%	14,8%	18,4%	12,8%	
(5) Liver disease	N	1	2	3	4	6	3	4	2	4	2	1	3	2	2	1	1	2	
	%	4,8%	3,0%	3,6%	5,6%	7,1%	3,1%	4,0%	1,6%	3,7%	1,6%	0,8%	2,5%	1,7%	1,4%	0,7%	0,7%	1,4%	
(6) Gastro-intestinal	N					2	6	5	5	4	7	1	2	3	4	5	3	3	
	%					2,4%	6,2%	5,0%	3,9%	3,7%	5,7%	0,8%	1,7%	2,6%	2,9%	3,7%	2,0%	2,0%	
(7) Social/Psychological	N	0	0	0	4	1	1	0	1	1	2	2	1	1	1	1	0	1	
	%					1,2%	1,0%	0,0%	0,8%	0,9%	1,6%	1,5%	0,8%	0,9%	0,7%	0,7%	0,0%	0,7%	
(8) Accident	N					0	1	0	0	0	0	0	0	1	0	0	0	0	
	%	0,0%	0,0%	0,0%	0,0%	0,0%	1,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,9%	0,0%	0,0%	0,0%	0,0%	
(9) Miscellaneous	N	0	1	0	0	0	2	0	0	6	5	2	3	5	5	1	3	3	
	%	0,0%	1,5%	0,0%	0,0%	0,0%	2,1%	0,0%	0,0%	5,6%	4,1%	1,5%	2,5%	4,3%	3,6%	0,7%	2,0%	2,0%	
(10) Unknown/unavailable	N	12	3	9	1	10	8	5	19	15	6	5	3	4	1	0	6	8	
	%	57,1%	4,5%	10,8%	1,4%	11,9%	8,2%	5,0%	14,8%	13,9%	4,9%	3,8%	2,5%	3,4%	0,7%	0,0%	4,1%	5,4%	
Starosne grupe umrlih:																			
(1) 0-19	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,7%	0,0%
(2) 20-44	N	2	1	8	5	3	5	10	6	9	3	3	4	1	4	2	5	7	
	%	9,5%	1,5%	9,6%	7,0%	3,6%	5,2%	9,9%	4,7%	8,3%	2,5%	2,3%	3,3%	0,9%	2,9%	1,5%	3,4%	4,7%	
(3) 45-64	N	14	29	30	28	36	25	30	38	32	39	46	31	33	36	36	26	32	
	%	66,7%	43,9%	36,1%	39,4%	42,9%	25,8%	29,7%	29,7%	29,6%	32,0%	34,8%	25,8%	28,4%	25,7%	26,7%	17,7%	21,6%	
(4) 65-74	N	5	29	37	29	36	40	39	44	40	44	41	33	30	40	42	56	40	
	%	23,8%	43,9%	44,6%	40,8%	42,9%	41,2%	38,6%	34,4%	37,0%	36,1%	31,1%	27,5%	25,9%	28,6%	31,1%	38,1%	27,0%	
(5) 75+	N	0	7	8	9	9	22	22	29	27	36	42	52	52	60	55	59	69	
	%	0,0%	10,6%	9,6%	12,7%	10,7%	22,7%	21,8%	22,7%	25,0%	29,5%	31,8%	43,3%	44,8%	42,9%	40,7%	40,1%	46,6%	
Spolna struktura umrlih:																			
Muškarci	N	12	43	41	48	49	48	54	68	69	76	86	71	66	88	88	88	86	
	%	57,1%	65,2%	49,4%	67,6%	58,3%	49,5%	53,5%	53,1%	63,9%	62,3%	65,2%	59,2%	56,9%	62,9%	65,2%	59,9%	58,1%	
Žene	N	9	23	42	23	35	49	47	60	39	46	46	49	50	52	47	59	62	
	%	42,9%	34,8%	50,6%	32,4%	41,7%	50,5%	46,5%	46,9%	36,1%	37,7%	34,8%	40,8%	43,1%	37,1%	34,8%	40,1%	41,9%	

*) BEN - Balkanska endemska nefropatija